

Amendments to the Claims:

1. (Currently Amended) A messaging user interface of a communication device of a message sender, the interface being configured for:

selecting a component for inclusion in a message,

selecting location conditions under which the message is enabled to be opened by a device of a recipient, the location conditions defining a location of the device of the recipient of the message, wherein the recipient and the message sender are different entities, and

storing said component as a message together with a message header holding the location conditions under which the message is enabled to be opened by the device of the recipient in a memory of the communication device, the message header further including information descriptive of content of the message.

2-4. (Canceled)

5. (Previously Presented) A user interface as claimed in Claim 1, wherein the message includes a plurality of components and associated presentation files.

6. (Previously Presented) A user interface as claimed in Claim 1, in which at least one component is a multimedia file.

7. (Previously Presented) A user interface as claimed Claim 1, wherein the device is configured for creating a presentation file associated with said component, said file being stored with said message.

8. (Previously Presented) A user interface as claimed in Claim 7, wherein the presentation file contains parameters relating to size and position of a component comprising a video image.

9. (Previously Presented) A user interface as claimed in Claim 7, wherein the

presentation file contains parameters relating to a volume of a component comprising an audio recording.

10. (Previously Presented) A user interface as claimed in Claim 7, wherein the presentation file contains parameters relating to a color and a font of a component comprising a text string.

11. (Previously Presented) A user interface as claimed in Claim 1, wherein the user interface is configured for formatting the message as an attachment to a short text message.

12. (Previously Presented) A user interface as claimed in Claim 1, wherein the user interface is configured for formatting the message as an email.

13. (Previously Presented) A user interface as claimed in Claim 1, including a wireless network interface.

14. (Previously Presented) A user interface as claimed in Claim 1, wherein the device is a radio telephone.

15-22. (Canceled)

23. (Currently Amended) A method comprising:

selecting a component for inclusion in a message at a communication device;

selecting, at a device of a message sender, location conditions under which the message is enabled to be opened by a device of a recipient, the location conditions defining a location of the device of the recipient of the message, wherein the recipient and the message sender are different entities;; and

storing said component as a message together with a message header holding the location conditions under which the message is enabled to be opened by the device of the recipient in a memory of the communication device, the message header further including

information descriptive of content of the message.

24. (Previously Presented) The method of Claim 23, further comprising creating a presentation file associated with said component, and storing said presentation file with said message.

25. (Previously Presented) The method of Claim 24, wherein creating the presentation file comprises creating a file including parameters relating to size and position of a component comprising a video image.

26. (Previously Presented) The method of Claim 24, wherein creating the presentation file comprises creating a file including parameters relating to a volume of a component comprising an audio recording.

27. (Previously Presented) The method of Claim 24, wherein creating the presentation file comprises creating a file including parameters relating to a color and a font of a component comprising a text string.

28. (Previously Presented) The method of Claim 23, further comprising formatting the message as an attachment to a short text message.

29. (Previously Presented) The method of Claim 23, further comprising formatting the message as an email.

30. (New) The method of Claim 23, further comprising creating a presentation file associated with the component, and storing the presentation file with the message, wherein creating the presentation file comprises creating a file including parameters relating to control of a speed of playback of the presentation file at the device of the recipient.

31. (New) An apparatus comprising a processor configured to:

select a component for inclusion in a message,

select location conditions under which the message is enabled to be opened by a device of a recipient, the location conditions defining a location of the device of the recipient of the message, wherein the recipient and message sender are different entities, and

store said component as a message together with a message header holding the location conditions under which the message is enabled to be opened by the device of the recipient in a memory of the apparatus, the message header further including information descriptive of content of the message,

wherein the apparatus is configured to create a presentation file associated with said component, said presentation file being stored with said message, and

wherein the presentation file includes parameters relating to control of a speed of playback of the presentation file at the device of the recipient.